

Home Phototherapy Patient Instructions

Form Type: Phothera 600 Time Increase NB UVB

Patient Name		MRN	Date		
<u>U</u> You must use it only ur	se this device as you nder the direction of y	ome narrowband UVB pho would a prescription me our doctor's office. Like a an also be harmful if not u	edication. any medication, this treatment		
Phototherapy unit prescribed	: <u>Phothera 600 - N</u>	larrowband UVB			
The treatment plan prescribed	d by your doctor:				
Treatment Frequency: Treat at a d					
Treatment #1:					
Treatment #2:			Phothera 600 (Formerly Daavlin 7 Series)		
Continue to increase your time	e by		until you can't increase it any		
more without getting pink, or f	eeling like your skin i	s warm, tender, or tingly	for more than 24 to 48 hours.		
you may use 4 exposures to tre - To use your device for the first prevent others from using you first set of exposures. Please r - Your treatment goal is to expe	posure. You may treat eat your entire body (time, please review t r device. You will then each out to your prov rience a light pinknes	1 front, 1 left side, 1 back, he manual for your "unlo need to enter a "loading ider for the loading code s, warmth, or tingle that	cking code," which is a security code to code" to load your device with your before you start your treatments.		
			rmine how to adjust your treatment time.		
Duration of Symp (pinkness, warmth, tenderness	toms: or tingly sensation)	Adju	st Next Treatment:		
No symptoms at all, or mild s less than 24 ho		Continue to increase	e as directed by		
	Symptoms lasting longer than 24 hours, but less than 48 hours Hold treatment time the same as the last treatment until symptoms last less than 24 hours				
If skin is very warm, red, painful or irritated, Do not treat until symptoms are gone,					

Always use the following to protect special areas that are NOT being treated:

UV blocking goggles (included)

Other: ____

• A towel, pillowcase, paper bag or mask to cover face if needed

then reduce treatment time by

Sunscreen (if directed by provider) •

or if symptoms last longer than 48 hours

• Protection for the genital areas for all patients

If you miss your treatment for:	Adjust your treatment by:		
7 days (or less)	Stay the same (do not increase)		
8-13 days	Reduce your time by 25% -OR- start over at your beginning time		
14-27 days	Reduce your time by 50% -OR- start over at your beginning time		
28 days (or longer)	Start over at your beginning time		

Frequently asked questions:

- How often should I follow up with my Care Provider? You should follow up with your provider 3 to 6 months after your first light therapy session. While you are on active maintenance therapy, you should follow up every 6 to 12 months. Consult with your healthcare provider if your condition worsens or if you notice a new spot or an area that does not look normal.
- I am taking a new medication, could this affect my treatment? Yes, some medications can make you more sensitive to light. Check with your doctor before you begin any new medications.
- How does FlexRx work? FlexRx is a feature that counts the number of exposures you have completed. You will notice the number of available exposures counting down with each use. When you reach 5-10 exposures remaining, contact your doctor's office for a refill "code."
- What should I do if my skin condition clears up? Once your skin has cleared, you will either be able to take a break from therapy or switch to a less frequent treatment schedule. Call for advice. If you need to resume treating again, it is important that you START OVER at your original time (see page 1) and NOT the longer times that you ended your therapy with.

Other Helpful Information:

0 0 0 0 0

- Refer to your manual or call Phothera's tech support line for questions about operating your device.

 Call directly to the support team at 216.831.0600 and follow the prompts or email at info@phothera.com
- Use the treatment log in this packet or similar journal. Keep track of your therapy and take it with you to your follow-up appointments.
- Don't wait until you have run out of exposures to call for a refill! Call or email your doctor or nurse for a refill while you still have about 5 to 10 remaining to avoid any disruptions in your therapy.

By accepting the delivery of your prescribed home phototherapy unit, you indicate that you understand, accept and agree to the following:

- I will follow up with my doctor while actively using my home phototherapy unit, will notify my doctor of any changes in my medications, and will have a full body skin examination at least once per year.
- I will only use my home phototherapy unit to treat my skin condition and I will not allow anyone else to use my home phototherapy unit.
- I will use eye protection EVERY TIME I use the unit and I will follow other special instructions (such as covering my face or genital areas) as directed.
- I will call my doctor right away if I develop a sunburn, redness, worsening of my psoriasis (or other condition), changes in skin lesions such as moles, or any other problem that might relate to my therapy.
- I will log my treatment times and results and provide them periodically to my doctor.

Patient Signature:	Da	te:

Home Phototherapy Treatment Log



Patient Name______ Date_____

Date example	Treatment Number	Time	Comments: Record any goal symptoms (such as light pinkness, warmth, or tingle) or problems (itching, severity and/or location of any burning, reasons for lapses in treatment, technical difficulties, etc.)	How long did your symptoms last?
1.1.25	1	1 minute	No burn, slight itching after treatment.	0 hours